

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name **39-4327**
Version/ Issue date:

9 / 03/28/2022

Print date **02/09/2023**
Page **1 of 8**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|-------------------------|---------------------|
| | Color for candles |
| Item number/ Trade name | 39-4327 |
| UFI | 9R27-D46A-R109-H8KX |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|-------------|--|
| General use | Coloration of hydrocarbons, waxes, oils and fats |
|-------------|--|

1.3 Details of the supplier of the safety data sheet

| | |
|------------------------------------|----------------------------|
| Company/undertaking identification | |
| Name | bekro chemie GmbH & Co. KG |
| Street/POB-No.: 1 | Industriestrasse 104 |
| City | D-66802 Ueberherrn |
| Phone # | +49 6836 9198 0 |
| Telefax # | +49 6836 9198 10 |
| E-mail | info@bekro.de |

1.4 Emergency telephone number

| | |
|---------|--|
| Name | Bekro Chemie GmbH (Mo - Thu 8.00 - 16.30, Fr 8.00 - 14.30) |
| Phone # | +49 6836 9198 0 |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.
Eye Dam. 1; H318 Causes serious eye damage.
Repr. 2; H361f Suspected of damaging fertility.

2.2 Label elements



Signal word

Danger

Nature of Hazard

GHS05 Corrosion
GHS08 Health hazard

Hazard statements

H318 Causes serious eye damage.
H361f Suspected of damaging fertility.
H412 Harmful to aquatic life with long lasting effects.

Safety precautions

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container to hazardous waste.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P273 Avoid release to the environment.

Hazard components for labelling

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name **39-4327**
 Version/ Issue date: **9 / 03/28/2022**

Print date **02/09/2023**
 Page **2 of 8**

Special provisions concerning the labelling of certain mixtures

2.3 Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances

Mixture of waxes, colouring agents and additives

3.2 Mixtures

Hazardous ingredients

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate: 3 % - 9,99 %
 CAS-Number: 52829-07-9
 EINECS / ELINCS / NLP: 258-207-9
 REACH registration No.: 01-2119537297-32
 Classification according to EC regulation 1272/2008 (CLP):
 Aquatic Acute 1 (M1); H400 / Aquatic Chronic 2; H411 / Eye Dam. 1; H318 / Repr. 2; H361f

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| | |
|-------------------------|--|
| General information | If you feel unwell, seek medical advice. |
| In case of inhalation | Move victim to fresh air. Seek medical aid in case of troubles. |
| In case of skin contact | Thoroughly wash skin with soap and water. |
| After eye contact | Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if irritation persists. |
| After swallowing | Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Seek medical treatment in case of troubles. |

4.2 Most important symptoms and effects, both acute and delayed

Symptoms ---

4.3 Indication of any immediate medical attention and special treatment needed

Information to physician ---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name **39-4327**
Version/ Issue date:

9 / 03/28/2022

Print date **02/09/2023**
Page **3 of 8**

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide , water spray jet , extinguishing powder , foam.

Extinguishing media which must not be used for safety reasons Full water jet

5.2 Special hazards arising from the substance or mixture

Possible combustion products Nitrogen oxides (NOx), carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters Wear self-contained breathing apparatus.

Additional information Do not allow water used to extinguish fire to enter drains, ground or waterways. Do not allow fire water to penetrate into surface or ground water. You have to dispose of contaminated extinguishing water according to the regulations of the authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not breathe dust. With the formation of dust, use a dust mask. Keep away from sources of ignition - No smoking. Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Do not allow to enter into ground-water, surface water or drains. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Take up spilled product with dustpan and brush. Avoid causing any dust. Industrial vacuum cleaner recommended to avoid causing dust. Clean soiled areas with a conventional household cleaner.

6.4 Reference to other sections

Personal protection equipment: see section 8, Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling Avoid contact with eyes and skin. When using do not eat, drink, smoke, sniff. Make sure there is sufficient air exchange and / or that working rooms are air suctioned. Avoid dust formation.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers Keep away from sources of ignition and heat. Store in a cool dry place. Store in a well-ventilated place. Keep container tightly closed. Protect from direct sunlight.

Storage class 11

7.3 Specific end use(s)

General use Coloration of hydrocarbons, waxes, oils and fats

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name **39-4327**
Version/ Issue date:

9 / 03/28/2022

Print date **02/09/2023**
Page **4 of 8**

8.2 Exposure controls

| | |
|---|--|
| Respiratory protection | With correct and proper use, and under normal conditions, breathing protection is not required. Provide good ventilation and/or an exhaust system in the work area. Wear a dust mask, in case of excessive dust. |
| Hand protection | Wear suitable gloves.- according to DIN-/EN-Norms EN 420, EN 388 and EN 374 Part 1,3 |
| Eye protection | Goggles according to EN 166. |
| Body protection | Wear suitable protective clothing and shoes. |
| General protection and hygiene measures | Keep away from food and drinks. When using do not eat, drink or smoke. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. |

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

| | |
|--|----------------|
| Form | solid |
| Colour | red violet |
| Odour | characteristic |
| Important health, safety and environmental information | |

| | min | max | | |
|---|--|-----|-----|-----|
| Melting point/freezing point | 60 °C | --- | | |
| Initial boiling point and boiling range | 130 °C | --- | | |
| Flammability | | | --- | |
| Explosion limits | --- | --- | | |
| Flash point/flash point range | 150 °C | --- | | |
| Ignition temperature | > 200 °C | --- | | |
| PH | --- | --- | | --- |
| Viscosity | --- | --- | --- | --- |
| | 0 m ² /s | --- | --- | --- |
| Solubility | --- | | --- | --- |
| Partition coefficient: n-octanol/water | --- | | | --- |
| Vapour pressure | --- | --- | --- | --- |
| Density and/or relative density | --- | --- | --- | --- |
| Relative vapour density | --- | --- | | --- |
| Bulk density | --- | --- | --- | |
| Flow time 4mm (DIN) | --- | | | |
| Water solubility | Product is difficult to dissolve in water. | | | |

9.2 Other information

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name **39-4327**
Version/ Issue date:

9 / 03/28/2022

Print date **02/09/2023**
Page **5 of 8**

SECTION 10: Stability and reactivity

| | |
|--|--|
| 10.1 Reactivity | Non-reactive |
| 10.2 Chemical stability | Product is stable under normal storage conditions. |
| 10.3 Possibility of hazardous reactions | --- |
| 10.4 Conditions to avoid | Avoid dust formation. Avoid dust deposits. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. |
| 10.5 Incompatible materials | strong acids and bases, strong oxidizing agents |
| 10.6 Hazardous decomposition products | Hazardous vapours may form during fires. In case of fire may be liberated: Nitrogen oxides (NOx), carbon monoxide and carbon dioxide |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

General remarks

No toxicological tests were conducted with the mixture.

Toxicological tests: components

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

| | | | | |
|---|------|--------|----------------------------------|-----------------|
| oral <i>Rat</i> | LD50 | 3700.0 | mg/kg | - |
| inhalative <i>Rat</i> | LC50 | | mg/L | - |
| Eye irritation: <i>Rabbit</i> | | | irreversible damage | OECD 405 |
| Mutagenicity: | | | not a mutagen | OECD 471 (Ames) |
| dermal <i>Rat</i> | LD50 | 3170.0 | mg/kg | - |
| Reproductive toxicity <i>Rat</i> | | | Suspected of damaging fertility. | OECD 443 |
| Skin sensitisation <i>guinea pig</i> | | | not sensitising | OECD 406 |

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity ---

Ecotoxicological effects: components

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

| | | | |
|---|--------------|-------|------|
| acute Daphnia toxicity <i>Daphnia magna (Big water flea)</i> | NOEC (48h) = | 4.0 | mg/L |
| acute Daphnia toxicity <i>Daphnia magna (Big water flea)</i> | EC50 (48h) = | 8.58 | mg/L |
| acute fish toxicity <i>Lepomis macrochirus (Bluegill)</i> | LC50 (96h) = | 4.4 | mg/L |
| Bacteria toxicity <i>Pseudokirchneriella subcapitata</i> | IC50 (72h) = | 0.705 | mg/L |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name **39-4327**
Version/ Issue date:

9 / 03/28/2022

Print date **02/09/2023**
Page **6 of 8**

12.2 Persistence and degradability

Evaluation text ---
Degree of elimination ---
Analytical method ---

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Endocrine disrupting properties

12.7 Other adverse effects

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Recommendation Dispose of waste according to applicable legislation. Discharge into the environment must be avoided.

Package

Recommendation Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name **39-4327**
Version/ Issue date:

9 / 03/28/2022

Print date **02/09/2023**
Page 7 of 8

SECTION 14: Transport information

14.1 UN number

ADR, IATA, IMDG ---

14.2 UN proper shipping name

Product designation: ADR/RID ---

Proper shipping name: IATA-DGR ---

Proper shipping name: IMDG ---

14.3 Transport hazard class(es)

Class ADR/RID ---

Code: ADR/RID ---

Class IATA-DGR ---

Subrisk IATA-DGR ---

Class IMDG ---

Subrisk IMDG ---

14.4 Packing group

ADR, IATA, IMDG No packaging for dangerous goods required

14.5 Environmental hazards

Marine Pollutant - IMDG ---

EmS ---

Stowage and segregation ---

14.6 Special precautions for user

14.7 Maritime transport in bulk according to IMO instruments

Additional information

EQ ---

Limited quantities ---

Special Provisions ---

Tunnel restriction ---

Transport category ---

Kemmler-number ---

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany

Storage class 11

Water Hazard Class 2

Incident regulation ---

Information on working limitations Observe employment restrictions for young people. Observe employment restrictions for expectant or nursing mothers.

15.2 Chemical Safety Assessment

Chemical Safety Assessment No substance safety evaluation was conducted with the mixture/ substance.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name **39-4327**
Version/ Issue date:

9 / 03/28/2022

Print date **02/09/2023**
Page **8 of 8**

SECTION 16: Other information

Hazard statements (CLP)

H318 Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
H361f Suspected of damaging fertility.

Reason of change General revision

Abbreviations

--- no data, not determined or not applicable
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (Regulation (EC) No. 1907/2006)
OECD Organisation for Economic Co-operation and Development
LD50 Median lethal dose
LC50 Median lethal concentration
EC50 Median effective dose
IC50 Median inhibitory concentration
VCI Verband der chemischen Industrie
CAS Chemical Abstract Service
EINECS European Inventory of Existing Commercial Chemical Substances
ELINCS European List of Notified Chemical Substances
NLP No Longer Polymers
CLP Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging
EG European Union
WGK water hazard class (according to AwSV, Appendix 1 (5.2))
AGW Occupational Exposure Limit
ADR Accord Européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulation on the international carriage of dangerous goods by rail)
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods
MARPOL International Convention for the Prevention of Pollution From Ships (MARine POLLution)
EmS Emergency Schedules
PBT persistent, bioaccumulative and toxic
vPvB very persistent and very bioaccumulative