

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 12/18/2019 Revision date: 4/3/2025 Supersedes version of: 4/14/2023 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : SUN DRENCHED BLACK CHERRY #EU42134F

UFI : SDPR-Q3QM-R00W-YMP7

Product code : EU42134F

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances

Use of the substance/mixture : Perfumes, frag Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE INTERNATIONAL GmbH GmbH

Mittlerer Weg 35 DE 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Skin sensitisation, Category 1 H317
Reproductive toxicity, Category 2 H361
Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child. Causes skin irritation. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS08

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) : Warning

Contains : benzaldehyde; Aldehyde C-16; Hexyl cinnamic aldehyde; Orange oil ; Linalool; Geranyl

acetate; Eugenol; Damascone Beta; Cyclamal; Citronellol Pure; trans-Anethole; Liffarome

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H361 - Suspected of damaging fertility or the unborn child. H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699- 19	31.5 – 63	Aquatic Acute 1, H400
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	2.7 – 5.3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361 STOT SE 3, H335
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	1.5 – 3	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Oxypheylon (Raspberry ketone) crystals	CAS-No.: 5471-51-2 EC-No.: 226-806-4	1.5 – 3	Acute Tox. 4 (Oral), H302
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	1.5 – 3	Skin Sens. 1, H317 Aquatic Chronic 2, H411
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	1.5 – 2.95	Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	1.1 – 2.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	0.9 – 1.85	Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.9 – 1.7	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
para-Tolyl aldehyde	CAS-No.: 104-87-0 EC-No.: 203-246-9	0.7 – 1.4	Acute Tox. 4 (Oral), H302
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.6 – 1.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
alpha-lonone	CAS-No.: 127-41-3 EC-No.: 204-841-6 REACH-no: 01-2119965149- 27	0.5 – 1.05	Aquatic Chronic 3, H412
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.5 – 1	Aquatic Chronic 3, H412
	CAS-No.: 104-21-2 EC-No.: 203-185-8	0.4 – 0.75	Skin Sens. 1, H317
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.3 – 0.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Damascone Beta	CAS-No.: 23726-92-3 EC-No.: 245-843-7	0.2 – 0.4	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.2 – 0.35	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
2-phenoxyethanol substance with national workplace exposure limit(s) (AT, DE, FI, PL, SI, CH)	CAS-No.: 122-99-6 EC-No.: 204-589-7 EC Index-No.: 603-098-00-9 REACH-no: 01-2119488943- 21	0.2 – 0.35	Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Eye Dam. 1, H318

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.2 – 0.3	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.2 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
ethyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103-	0.1 – 0.15	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336
acetophenone substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO)	CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169- 37	0.1 – 0.15	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
trans-Anethole	CAS-No.: 4180-23-8 EC-No.: 224-052-0	0.1 – 0.1	Skin Sens. 1B, H317
Liffarome	CAS-No.: 67633-96-9 EC-No.: 266-797-4	0.1 – 0.1	Skin Sens. 1B, H317
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0028	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0007	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

First-aid measures after eye contact

First-aid measures after ingestion

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical

advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products
Incompatible materials

: Strong bases. Strong acids.: Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store away from heat. Store in a well-ventilated place.

Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Bis(2-ethylhexyl) adipate (103-23-1)	
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	400 mg/m³
benzaldehyde (100-52-7)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	4.4 mg/m³
	1 ppm
HTP (OEL C)	17.4 mg/m³
	4 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	5 mg/m³
CK (OEL STEL)	10 mg/m³
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	10 mg/m³
NDSCh (OEL STEL)	40 mg/m³

Safety Data Sheet

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	
OEL STEL	80 mg/m³	
	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
2-phenoxyethanol (122-99-6)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	110 mg/m³	
	20 ppm	
MAK (OEL STEL)	110 mg/m³	
	20 ppm	
OEL C	110 mg/m³	
	20 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	110 mg/m³	

Safety Data Sheet

2-phenoxyethanol (122-99-6)			
	20 ppm		
HTP (OEL STEL)	290 mg/m³		
	50 ppm		
OEL chemical category	Potential for cutaneous absorption		
Germany - Occupational Exposure Limits (TRGS 90	00)		
AGW (OEL TWA)	5.7 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	230 mg/m³		
Slovenia - Occupational Exposure Limits			
OEL TWA	5.7 mg/m³		
	1 ppm		
OEL STEL	5.7 mg/m³		
	1 ppm		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA)	110 mg/m³ (aerosol, vapour)		
	20 ppm (aerosol, vapour)		
KZGW (OEL STEL)	110 mg/m³ (aerosol, vapour)		
	20 ppm (aerosol, vapour)		
ethyl acetate (141-78-6)			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	734 mg/m³		
	200 ppm		
IOEL STEL	1468 mg/m³		
	400 ppm		
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	734 mg/m³		
	200 ppm		
MAK (OEL STEL)	1468 mg/m³		
	400 ppm		
Belgium - Occupational Exposure Limits	Belgium - Occupational Exposure Limits		
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Bulgaria - Occupational Exposure Limits			

Safety Data Sheet

ethyl acetate (141-78-6)		
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	734 mg/m³	
	200 ppm	
KGVI (OEL STEL)	1468 mg/m³	
	400 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	700 mg/m³	
Denmark - Occupational Exposure Limits		
OEL TWA	540 mg/m³	
	150 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	500 mg/m³	
	150 ppm	
OEL STEL	1100 mg/m³	
	300 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	730 mg/m³	
	200 ppm	
HTP (OEL STEL)	1470 mg/m³	
	400 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	734 mg/m³ (restrictive limit)	
	200 ppm (restrictive limit)	
VLE (OEL C/STEL)	1468 mg/m³ (restrictive limit)	
	400 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS	900)	
AGW (OEL TWA)	730 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	

Safety Data Sheet

Gibratar - Occupational Exposure Limits OEL STEL 400 mg/m² OEL STEL 400 mg/m² OECE OCCUPATIONAL EXPOSURE LIMITS 734 mg/m² OEL STEL 408 mg/m² 200 ppm 400 mg/m² 200 ppm 400 mg/m² CH STEL 408 mg/m² 400 k (DEL STEL) 468 mg/m² 60 K (DEL STEL) 468 mg/m² 61 K (DEL TWA) 734 mg/m² 62 K (DEL STEL) 468 mg/m² 62 K (DEL STEL) 468 mg/m² 62 K TWA 744 mg/m² 63 Mg/m² 744 mg/m² 64 R TWA 744 mg/m² 64 D TWA 744 mg/m² 65 D FU 744 mg/m² 74 mg/	ethyl acetate (141-78-6)		
OEL STEL 400 mg/m² OEL STEL 400 mg/m² 1 468 ppm CEL TWA 74 mg/m² 0EL STEL 488 mg/m² 1 488 mg/m² 400 ppm CEL STEL 488 mg/m² 0K (OEL STEL) 1488 mg/m² 0K (OEL STEL) 488 mg/m² 0K (OEL STEL) 488 mg/m² 0K (OEL STEL) 5734 mg/m² 0K (OEL STEL) 488 mg/m² 0K (OEL STEL) 500 pm/m²	Gibraltar - Occupational Exposure Limits		
OEL STEL 400 mg/m² Greece - Occupational Exposure Limits 734 mg/m² OEL STEL 1468 mg/m² OEL STEL 1468 mg/m² Hungary - Occupational Exposure Limits 734 mg/m² KK (OEL STEL) 1468 mg/m² OEL chemical category 8 resilizer OEL chemical category 8 resilizer Totaland - Occupational Exposure Limits 794 mg/m² OEL TWA 200 ppm OEL STEL 1468 mg/m² 100 ppm 1400 ppm Titaly - Occupational Exposure Limits 794 mg/m² OEL STEL 1468 mg/m² 100 ppm 1468 mg/m² 100 ppm 1400 ppm 12 Del STEL 1468 mg/m² 100 ppm 1400 ppm 12 Del STEL 1468 mg/m² 12 Del TWA 200 ppm 12 Del TWA 150 ppm 150 ppm 150 ppm	OEL TWA	200 mg/m³	
Greece - Occupational Exposure Limits OEL TWA 734 mg/m³ 0EL STEL 1488 mg/m³ 0EL STEL 1488 mg/m³ 400 ppm 400 ppm Hungary - Occupational Exposure Limits 734 mg/m³ CK (OEL TWA) 734 mg/m³ CK (OEL STEL) 1488 mg/m² CK (OEL STEL) 250 ppm OEL TWA 234 mg/m³ 020 ppm 400 ppm OEL STEL 1486 mg/m² 040 ppm 400 ppm OEL TWA 734 mg/m³ 020 ppm 400 ppm OEL STEL 1488 mg/m² 040 ppm 400 ppm OEL STEL 200 mg/m² 1488 mg/m² 40 ppm LUTWIA 200 mg/m² 150 ppm 50 mg/m² 150 ppm		734 ppm	
Greece - Occupational Exposure Limits OEL STEL 488 mg/m³ 468 mg/m³ 489 mg/m³ 468 mg/m³ 489 mg/m³ AK (OEL TWA) 734 mg/m³ CK (OEL STEL) 468 mg/m³ OEL chemical category 8 ensiltzer Ireland - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 400 ppm OEL STEL 468 mg/m³ 400 ppm 400 ppm Italy - Occupational Exposure Limits 900 ppm OEL TWA 734 mg/m³ 200 ppm 1488 mg/m³ 400 ppm 400 ppm Let TWA 1488 mg/m³ 400 ppm 400 ppm Let TWA 200 mg/m³ 400 ppm 400 ppm Lithuania - Occupational Exposure Limits 500 mg/m³ Lithuania - Occupational Exposure Limits 150 ppm NPV (OEL TWA) 500 mg/m³ 150 ppm 150 ppm Luxembourg - Occupational Exposure Limits 200 ppm Luxembourg - Occupational Exposure Limits	OEL STEL	400 mg/m³	
QEL TWA 734 mg/m² QEL STEL 1488 mg/m² Mungary - Occupational Exposure Limits 734 mg/m² KI (OEL TWA) 734 mg/m² CK (OEL STEL) 1488 mg/m² OEL chemical category Sensitizer TOBLITYA 734 mg/m² 200 pm 200 pm QEL STEL 1488 mg/m² 200 pm 200 pm REL TWA 734 mg/m² 200 pm 200 pm REL TWA 734 mg/m² 200 pm 200 pm QEL STEL 468 mg/m² 400 ppm 200 pm DEL TWA 200 pm Alexin - Occupational Exposure Limits 200 pm Lithuania - Occupational Exposure Limits 200 mg/m² Lithuania - Occupational Exposure Limits 150 ppm Lithuania - Occupational Exposure Limits 200 ppm Lithuania - Occupational Exposure Limits		1468 ppm	
Potential (Potential Exposure Limits) 1468 mg/m² (200 pm Hungary - Occupational Exposure Limits AK (OEL TWA) 74 mg/m² OEL chemical category 8 ensitzer OEL TWA OEL TWA 734 mg/m² 200 ppm OEL STEL 1468 mg/m² 200 ppm OEL STEL 1474 mg/m² 200 ppm OEL STEL 1488 mg/m² 200 ppm OEL STEL 1488 mg/m² 200 ppm OEL STEL 1488 mg/m² 400 ppm OEL STEL 1488 mg/m² 400 ppm Latvia - Occupational Exposure Limits Litutuaria - Occupational Exposure Limits Del mg/m² 150 ppm Litutuaria - Occupational Exposure Limits <td>Greece - Occupational Exposure Limits</td> <td></td>	Greece - Occupational Exposure Limits		
QEL STEL 468 mg/m³ HUNGAY - OCCUPATIONAL EXPOSURE LIMITS 744 mg/m³ AK (OEL TWA) 744 mg/m³ CK (OEL STEL) 1468 mg/m³ CBL CHICAL CALLEGORY Sensitizer OEL TWA 734 mg/m³ 200 ppm CBL STEL 1468 mg/m³ 400 ppm CBL WA 734 mg/m³ 200 ppm CBL TWA 744 mg/m³ 200 ppm CBL TWA 744 mg/m³ 200 ppm CBL STEL 1468 mg/m³ 400 ppm LATVIA 200 mg/m³ 64 ppm LATVIA 200 mg/m³ 64 ppm LATVIA (CBL TWA) 500 mg/m³ 150 ppm NRY (OEL TWA) 500 mg/m³ 150 ppm LATVIA 744 mg/m³ 200 ppm CLETWA 700 ppm 200 ppm 200 ppm 200 ppm	OEL TWA	734 mg/m³	
Hungary - Occupational Exposure Limits AK (OEL TWA) 734 mg/m³ CK (OEL STEL) 1488 mg/m³ OEL chemical category sensitizer Treitand - Occupational Exposure Limits 734 mg/m³ 200 ppm 200 ppm OEL STEL 468 mg/m³ 400 ppm 200 ppm BLIVY - Occupational Exposure Limits 734 mg/m³ 200 ppm 200 ppm DEL TWA 488 mg/m³ 400 ppm 400 ppm BLIVY - Occupational Exposure Limits 200 ppm CEL TWA 200 ng/m³ 400 ppm 400 ppm LIMINATE - Occupational Exposure Limits 200 mg/m³ EVET TWA) 500 mg/m³ 150 ppm 100 mg/m³ 150 ppm 100 mg/m³ 150 ppm 200 ppm 150 ppm 200 ppm <		200 ppm	
Hungary - Occupational Exposure Limits AK (OEL TWA) 734 mg/m³ CK (OEL STEL) 1488 mg/m³ OEL chemical category sensitizer Ireland - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 400 ppm Italy - Occupational Exposure Limits 734 mg/m³ 201 Ppm 200 ppm OEL STEL 468 mg/m³ 400 ppm 400 ppm Latvia - Occupational Exposure Limits 200 mg/m³ CE TWA 200 mg/m³ 54 ppm 54 ppm Lithuania - Occupational Exposure Limits 500 mg/m³ IPY (OEL TWA) 500 mg/m³ 150 ppm NRY (OEL C) 1100 mg/m³ 150 ppm Luxembourg - Occupational Exposure Limits 734 mg/m³ Cuyentange - Occupational Exposure Limits 734 mg/m³ OEL TWA 200 ppm OEL TWA 400 ppm OEL TWA 400 ppm	OEL STEL	1468 mg/m³	
AK (OEL TWA) 734 mg/m³ CK (OEL STEL) 1468 mg/m³ OEL chemical category Sensitizer IFEL TWA 734 mg/m³ 20L TWA 734 mg/m³ 20D ppm 468 mg/m³ 40D ppm 740 mg/m³ INTEL TELL TO THE TELL TO THE TELL TELL TELL TELL TELL TELL TELL		400 ppm	
CK (OEL STEL) 1468 mg/m³ OEL chemical category Sensitizer Treitand - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm OEL STEL 1468 mg/m³ 400 ppm Italy - Occupational Exposure Limits Type of the properties of the propert	Hungary - Occupational Exposure Limits		
OEL chemical category Sensitizer Ireland - Occupational Exposure Limits 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Italy - Occupational Exposure Limits 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Latvia - Occupational Exposure Limits 200 mg/m³ Lithuania - Occupational Exposure Limits 200 mg/m³ 150 ppm NRY (OEL TWA) 500 mg/m³ 150 ppm NRY (OEL C) 1100 mg/m³ 300 ppm Luxembourg - Occupational Exposure Limits T OEL TWA 734 mg/m³ 200 ppm OEL TWA 734 mg/m³ 200 ppm DEL TWA 734 mg/m³ 200 ppm OEL TWA 744 mg/m³ 200 ppm OEL TWA 740 mg/m³ 200 ppm OEL TWA 740 mg/m³ 200 ppm <td< td=""><td>AK (OEL TWA)</td><td>734 mg/m³</td></td<>	AK (OEL TWA)	734 mg/m³	
Ireland - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm 400 ppm Italy - Occupational Exposure Limits 734 mg/m³ 200 ppm 200 ppm OEL TWA 734 mg/m³ 200 ppm 400 ppm Latvia - Occupational Exposure Limits 200 mg/m³ DEL TWA 200 mg/m³ 54 ppm 54 ppm Littuania - Occupational Exposure Limits FPRV (OEL TWA) NRV (OEL C) 1100 mg/m³ 150 ppm 100 mg/m³ 300 ppm 100 mg/m³ Luxembourg - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm	CK (OEL STEL)	1468 mg/m³	
OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Italy - Occupational Exposure Limits 734 mg/m³ 200 ppm 400 ppm Latvia - Occupational Exposure Limits 200 mg/m³ OEL TWA 200 mg/m³ 54 ppm 150 ppm NRV (OEL TWA) 500 mg/m³ 150 ppm 150 ppm NRV (OEL C) 1100 mg/m³ 150 ppm 150 ppm Luxembourg - Occupational Exposure Limits 200 ppm OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Malta - Occupational Exposure Limits 400 ppm	OEL chemical category	Sensitizer	
DEL STEL 1468 mg/m³ 400 ppm 1taly - Occupational Exposure Limits DEL TWA 734 mg/m³ 200 ppm 200 ppm DEL STEL 1468 mg/m³ 400 ppm 400 ppm Latvia - Occupational Exposure Limits 200 mg/m³ 54 ppm 500 mg/m³ Lithuania - Occupational Exposure Limits 150 ppm NRY (OEL TWA) 500 mg/m³ 150 ppm 300 ppm Luxembourg - Occupational Exposure Limits 1100 mg/m³ Luxembourg - Occupational Exposure Limits 200 ppm OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm	Ireland - Occupational Exposure Limits		
QEL STEL 1468 mg/m³ 400 ppm ttaly - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Latvia - Occupational Exposure Limits CPL TWA 200 mg/m³ 54 ppm 54 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 500 mg/m³ 150 ppm 100 mg/m³ 300 ppm 100 mg/m³ Luxembourg - Occupational Exposure Limits OEL TWA 734 mg/m³ 0EL TWA 734 mg/m³ 200 ppm 400 ppm Malta - Occupational Exposure Limits	OEL TWA	734 mg/m³	
titaly - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Latvia - Occupational Exposure Limits 200 mg/m³ 54 ppm 54 ppm Lithuania - Occupational Exposure Limits 150 ppm NRV (OEL TWA) 500 mg/m³ 150 ppm 1100 mg/m³ 300 ppm 1100 mg/m³ 200 ppm 200 ppm OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Malta - Occupational Exposure Limits 400 ppm		200 ppm	
Italy - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Latvia - Occupational Exposure Limits 200 mg/m³ El TWA 500 mg/m³ Lithuania - Occupational Exposure Limits 500 mg/m³ IPRV (OEL TWA) 500 mg/m³ 150 ppm 150 ppm NRV (OEL C) 1100 mg/m³ 300 ppm 100 ppm Luxembourg - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 00 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Malta - Occupational Exposure Limits	OEL STEL	1468 mg/m³	
OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Latvia - Occupational Exposure Limits DEL TWA 200 mg/m³ 54 ppm 500 mg/m³ 150 ppm 150 ppm NRV (OEL TWA) 1100 mg/m³ 300 ppm 300 ppm Luxembourg - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ Malta - Occupational Exposure Limits 400 ppm		400 ppm	
DEL STEL 1468 mg/m³ A00 ppm 400 ppm Latvia - Occupational Exposure Limits DEL TWA 200 mg/m³ 54 ppm 54 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 500 mg/m³ 150 ppm 150 ppm NRV (OEL C) 1100 mg/m³ 300 ppm 100 ppm Luxembourg - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm	Italy - Occupational Exposure Limits		
OEL STEL 1468 mg/m³ 400 ppm 400 ppm Latvia - Occupational Exposure Limits DEL TWA 200 mg/m³ 54 ppm 54 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 500 mg/m³ 150 ppm NRV (OEL C) 1100 mg/m³ 300 ppm Luxembourg - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm OEL STEL 1468 mg/m³ 400 ppm Malta - Occupational Exposure Limits	OEL TWA	734 mg/m³	
A00 ppm		200 ppm	
Latvia - Occupational Exposure Limits OEL TWA 200 mg/m³ 54 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 500 mg/m³ 150 ppm NRV (OEL C) 1100 mg/m³ 300 ppm Luxembourg - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm OEL STEL 1468 mg/m³ 400 ppm Malta - Occupational Exposure Limits	OEL STEL	1468 mg/m³	
OEL TWA 200 mg/m³ 54 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 500 mg/m³ 150 ppm NRV (OEL C) 1100 mg/m³ 300 ppm Luxembourg - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm OEL STEL 1468 mg/m³ 400 ppm Malta - Occupational Exposure Limits		400 ppm	
S4 ppm S4 ppm S4 ppm S4 ppm S4 ppm S500 mg/m³ S500 mg/m³ S500 mg/m³ S500 ppm S5	Latvia - Occupational Exposure Limits		
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 500 mg/m³ 150 ppm NRV (OEL C) 1100 mg/m³ 300 ppm Luxembourg - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm OEL STEL 1468 mg/m³ 400 ppm Malta - Occupational Exposure Limits	OEL TWA	200 mg/m³	
FRV (OEL TWA) 500 mg/m³ 150 ppm 1100 mg/m³ 300 ppm		54 ppm	
150 ppm	Lithuania - Occupational Exposure Limits		
NRV (OEL C) 1100 mg/m³ 300 ppm Luxembourg - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm OEL STEL 1468 mg/m³ 400 ppm Malta - Occupational Exposure Limits	IPRV (OEL TWA)	500 mg/m³	
300 ppm		150 ppm	
Luxembourg - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm OEL STEL 1468 mg/m³ 400 ppm Malta - Occupational Exposure Limits	NRV (OEL C)	1100 mg/m³	
OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm Malta - Occupational Exposure Limits		300 ppm	
200 ppm	Luxembourg - Occupational Exposure Limits		
OEL STEL 1468 mg/m³ 400 ppm Malta - Occupational Exposure Limits	OEL TWA	734 mg/m³	
400 ppm Malta - Occupational Exposure Limits		200 ppm	
Malta - Occupational Exposure Limits	OEL STEL	1468 mg/m³	
		400 ppm	
OEL TWA 734 mg/m³	Malta - Occupational Exposure Limits		
	OEL TWA	734 mg/m³	

Safety Data Sheet

ethyl acetate (141-78-6)			
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Netherlands - Occupational Exposure Limits			
TGG-8u (OEL TWA)	734 mg/m³		
	200 ppm		
TGG-15min (OEL STEL)	1468 mg/m³		
	400 ppm		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	734 mg/m³		
NDSCh (OEL STEL)	1468 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA	734 mg/m³ (indicative limit value)		
	200 ppm (indicative limit value)		
OEL STEL	1468 mg/m³ (indicative limit value)		
	400 ppm (indicative limit value)		
Romania - Occupational Exposure Limits			
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Slovakia - Occupational Exposure Limits			
NPHV (OEL TWA)	734 mg/m³		
	200 ppm		
NPHV (OEL C)	1468 mg/m³		
Slovenia - Occupational Exposure Limits			
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Spain - Occupational Exposure Limits	Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	734 mg/m³		
	200 ppm		
VLA-EC (OEL STEL)	1468 mg/m³		
	400 ppm		
Sweden - Occupational Exposure Limits	Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	550 mg/m³		
	150 ppm		
KGV (OEL STEL)	1100 mg/m³		

Safety Data Sheet

ethyl acetate (141-78-6)			
	300 ppm		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA)	734 mg/m³		
	200 ppm		
WEL STEL (OEL STEL)	1468 mg/m³		
	400 ppm		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	734 mg/m³		
	200 ppm		
Korttidsverdi (OEL STEL)	1468 mg/m³ (value from the regulation)		
	400 ppm (value from the regulation)		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA)	730 mg/m³		
	200 ppm		
KZGW (OEL STEL)	1460 mg/m³		
	400 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	400 ppm		
acetophenone (98-86-2)			
Belgium - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
	10 ppm		
Bulgaria - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Denmark - Occupational Exposure Limits			
OEL TWA	49 mg/m³		
	10 ppm		
OEL STEL	98 mg/m³		
	20 ppm		
Finland - Occupational Exposure Limits	Finland - Occupational Exposure Limits		
HTP (OEL TWA)	25 mg/m³		
	5 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	50 mg/m³		
Ireland - Occupational Exposure Limits			
OEL TWA	49 mg/m³		
	10 ppm		
OEL STEL	147 mg/m³ (calculated)		
	30 ppm (calculated)		
	1		

Safety Data Sheet

(00.00.0)		
acetophenone (98-86-2)		
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	50 mg/m³	
NDSCh (OEL STEL)	100 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
	20 ppm	
OEL STEL	200 mg/m³	
	41 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	50 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
	15 ppm	
OEL STEL	200 mg/m³	
	30 ppm	
Switzerland - Occupational Exposure Limits	I	
Switzerianu - Occupational Exposure Limits		
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)	
	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)
	10 ppm (aerosol, vapour)
Aldehyde C-6 (66-25-1)	
Finland - Occupational Exposure Limits	
HTP (OEL STEL)	42 mg/m³
	10 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	40 mg/m³
NDSCh (OEL STEL)	80 mg/m³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available : 78 °C Flash point

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available
Viscosity, kinematic : Not available
Solubility : Not available
Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.006394042 mm Hg (calculated value)

Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 12.5844 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

44.4 Information	on howard alones	andefined in Deau	letion (EC) No 4272/2000
TI.I. miormation	on nazaru ciasses	s as deimed in Redu	lation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (illinatation)	Not dassilled	
Bis(2-ethylhexyl) adipate (103-23-1)		
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	8410 mg/kg (Source: NLM_CIP)	
LC50 Inhalation - Rat	> 5.7 mg/l/4h	
benzaldehyde (100-52-7)		
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat	< 5 mg/l/4h	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)	
LD50 oral rat	1320 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
beta-lonone (14901-07-6)		
LD50 oral rat	4590 mg/kg (Source: NLM_HSDB)	
LD50 oral	3940 mg/kg bodyweight	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Verdox (88-41-5)		
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)	
LD50 oral	4600 mg/kg	
Linalool (78-70-6)		
LD50 oral rat	2790 mg/kg (Source: NLM_CIP)	
LD50 oral	2790 mg/kg	

4/3/2025 (Revision date) EN (English) 16/28

Safety Data Sheet

Linalool (78-70-6)		
LD50 dermal rabbit	5610 mg/kg (Source: ECHA_API)	
para-Tolyl aldehyde (104-87-0)		
LD50 oral rat	1600 mg/kg (Source: NLM_CIP)	
LD50 oral	1000 mg/kg bodyweight	
Geranyl acetate (105-87-3)		
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)	
alpha-lonone (127-41-3)		
LD50 oral	4590 mg/kg bodyweight	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
(104-21-2)		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
LC50 Inhalation - Rat	> 2.58 mg/l/4h	
Damascone Beta (23726-92-3)		
LD50 oral	2920 mg/kg bodyweight	
Allyl caproate (123-68-2)		
LD50 oral	218 mg/kg	
LD50 dermal rabbit	820 mg/kg (Source: ECHA_API)	
LD50 dermal	300 mg/kg	
2-phenoxyethanol (122-99-6)		
LD50 oral rat	1850 mg/kg (Source: EU_CLH)	
LD50 oral	1394 mg/kg bodyweight	
LD50 dermal rabbit	5 ml/kg (Source: NLM_CIP)	
LC50 Inhalation - Rat	> 0.057 mg/l (Exposure time: 8 h Source: EU_CLH)	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)	
LD50 oral	3810 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)	

Safety Data Sheet

Citronellol Pure (106-22-9)			
LD50 dermal	2650 mg/kg bodyweight		
	2650 mg/kg bodyweignt		
ethyl acetate (141-78-6)			
LD50 oral rat	5620 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 18000 mg/kg (Source: JAPAN_GHS)		
LC50 Inhalation - Rat [ppm]	4000 ppm/4h		
acetophenone (98-86-2)			
LD50 oral rat	2081 mg/kg (Source: ECHA_API)		
LD50 oral	500 mg/kg bodyweight		
LD50 dermal rat	3300 mg/kg (Source: ECHA_API)		
LC50 Inhalation - Rat	> 2.13 mg/l (Exposure time: 8 h Source: CHEMVIEW)		
trans-Anethole (4180-23-8)			
LD50 oral rat	2090 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 4900 mg/kg (Source: ECHA_API)		
LC50 Inhalation - Rat	> 5.1 mg/l/4h		
Alcohol C-10 (112-30-1)			
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)		
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)		
LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)		
Aldehyde C-6 (66-25-1)			
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)		
	Causes skin irritation.		
, 5	Not classified		
	May cause an allergic skin reaction. Not classified		
3 ,	Not classified		
Bis(2-ethylhexyl) adipate (103-23-1)			
IARC group	3 - Not classifiable		
Benzyl acetate (140-11-4)			
IARC group	3 - Not classifiable		
Eugenol (97-53-0)			
IARC group	3 - Not classifiable		
Reproductive toxicity :	Suspected of damaging fertility or the unborn child.		
STOT-single exposure :	Not classified		
benzaldehyde (100-52-7)			
STOT-single exposure	May cause respiratory irritation.		
2-phenoxyethanol (122-99-6)			
STOT-single exposure	May cause respiratory irritation.		
	•		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethyl acetate (141-78-6)		
STOT-single exposure		May cause drowsiness or dizziness.
STOT-repeated exposure	-	Not classified
Aspiration hazard	:	Not classified

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

symptoms

SECTION 12: Ecological information

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term : Not classified.

(acute)

 $\mbox{Hazardous to the aquatic environment, long-term} \qquad : \mbox{ Harmful to aquatic life with long lasting effects.}$

(chronic)

(allolio)			
Bis(2-ethylhexyl) adipate (103-23-1)			
LC50 - Fish [1]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		
LC50 - Fish [2]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)		
EC50 - Crustacea [1]	> 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)		
benzaldehyde (100-52-7)			
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)		
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)		
Aldehyde C-16 (77-83-8)			
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)		
Linalool (78-70-6)			
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)		
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		
Eugenol (97-53-0)			
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
Allyl caproate (123-68-2)			
LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
2-phenoxyethanol (122-99-6)			
LC50 - Fish [1]	337 – 352 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		

4/3/2025 (Revision date) EN (English) 19/28

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-phenoxyethanol (122-99-6)			
LC50 - Fish [2]	366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)		
EC50 - Crustacea [1]	> 500 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)		
ethyl acetate (141-78-6)			
LC50 - Fish [1]	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: IUCLID)		
EC50 - Crustacea [1]	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
acetophenone (98-86-2)			
LC50 - Fish [1]	162 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	155 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
Alcohol C-10 (112-30-1)			
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Aldehyde C-6 (66-25-1)			
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		

12.2. Persistence and degradability

SUN DRENCHED BLACK CHERRY #EU42134F		
Persistence and degradability	Not established.	
Bis(2-ethylhexyl) adipate (103-23-1)		
Persistence and degradability	Rapidly degradable	
benzaldehyde (100-52-7)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-16 (77-83-8)		
Persistence and degradability	Rapidly degradable	
Oxypheylon (Raspberry ketone) crystals (5471-51-2)		
Persistence and degradability	Rapidly degradable	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
beta-lonone (14901-07-6)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

Orange oil (8008-57-9)	
Persistence and degradability	Rapidly degradable
Verdox (88-41-5)	
Persistence and degradability	Rapidly degradable
Linalool (78-70-6)	
Persistence and degradability	Rapidly degradable
para-Tolyl aldehyde (104-87-0)	
Persistence and degradability	Rapidly degradable
Geranyl acetate (105-87-3)	
Persistence and degradability	Rapidly degradable
alpha-lonone (127-41-3)	
Persistence and degradability	Rapidly degradable
Benzyl acetate (140-11-4)	
Persistence and degradability	Rapidly degradable
(104-21-2)	
Persistence and degradability	Rapidly degradable
Eugenol (97-53-0)	
Persistence and degradability	Rapidly degradable
Damascone Beta (23726-92-3)	
Persistence and degradability	Rapidly degradable
Allyl caproate (123-68-2)	
Persistence and degradability	Rapidly degradable
2-phenoxyethanol (122-99-6)	
Persistence and degradability	Rapidly degradable
Cyclamal (103-95-7)	
Persistence and degradability	Not established.
Citronellol Pure (106-22-9)	
Persistence and degradability	Rapidly degradable
ethyl acetate (141-78-6)	
Persistence and degradability	Rapidly degradable
acetophenone (98-86-2)	
Persistence and degradability	Rapidly degradable
trans-Anethole (4180-23-8)	
Persistence and degradability	Rapidly degradable
Liffarome (67633-96-9)	
Persistence and degradability	Rapidly degradable

Safety Data Sheet

Alcohol C-10 (112-30-1)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-6 (66-25-1)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
SUN DRENCHED BLACK CHERRY #EU42134F		
Bioaccumulative potential	Not established.	
Bis(2-ethylhexyl) adipate (103-23-1)		
BCF - Fish [1]	(27 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	8.94 (at 25 °C)	
benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
Aldehyde C-16 (77-83-8)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)	
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)	
Partition coefficient n-octanol/water (Log Pow)	1.33 (at 20 °C)	
beta-lonone (14901-07-6)		
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)	
Linalool (78-70-6)		
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7)	
para-Tolyl aldehyde (104-87-0)		
Partition coefficient n-octanol/water (Log Pow)	2.25	
Geranyl acetate (105-87-3)		
Partition coefficient n-octanol/water (Log Pow)	4.04	
alpha-lonone (127-41-3)		
Partition coefficient n-octanol/water (Log Pow)	3.896 (at 25 °C (at pH 7.2)	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
(104-21-2)		
Partition coefficient n-octanol/water (Log Pow)	1.9 (at 35 °C)	
Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
Allyl caproate (123-68-2)		
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C (at pH 5)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-phenoxyethanol (122-99-6)		
Partition coefficient n-octanol/water (Log Pow)	1.107	
, ,	1.107	
Cyclamal (103-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)	
Bioaccumulative potential	Not established.	
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	
ethyl acetate (141-78-6)		
BCF - Fish [1]	(30 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	0.73 (at 20 °C (at pH 7)	
acetophenone (98-86-2)		
Partition coefficient n-octanol/water (Log Pow)	1.63 – 1.65	
Liffarome (67633-96-9)		
Partition coefficient n-octanol/water (Log Pow)	3 (at 25 °C)	
Alcohol C-10 (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	
. (3)	, , , , ,	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP10 - "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not regulated for transport	Not regulated for transport			
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	ethyl acetate ; Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	SUN DRENCHED BLACK CHERRY #EU42134F; acetophenone; Allyl caproate; ; trans-Anethole; Aldehyde C-16; Cyclamal; benzaldehyde; ethyl acetate; Damascone Beta; Citronellol Pure; Hexyl cinnamic aldehyde; Eugenol; Geranyl acetate; Liffarome; Linalool; para-Tolyl aldehyde; 2-phenoxyethanol; Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	SUN DRENCHED BLACK CHERRY #EU42134F; Allyl caproate; Benzyl acetate; Aldehyde C-16; Cyclamal; Damascone Beta; Hexyl cinnamic aldehyde; Geranyl acetate; alpha-lonone; beta-lonone; Verdox; Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	ethyl acetate ; Orange oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 12.5844 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Major Accidents Ordinance (12. BlmSchV) : Is not subject to the Major Accidents Ordinance (12. BlmSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Orange oil ,Liffarome are listed

SZW-lijst van mutagene stoffen : Orange oil ,Liffarome are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Flam. Liq. 1	Flammable liquids, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
H224	Extremely flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.